

REMOVABLE BOWL MIXER

- ▶ ATS removable spiral mixer with removable bowl designed for industrial plants and heavy duty applications.
- Excellent kneading and practical usage merged by two speed powerful motor, separated kneading process by two different timers and high power transmission to removable bowl. Moreover long term usage also has been guaranteed by strong chassis.
- ▶ Head of mixer lifts up automatically at the end of kneading process and allows to remove the bowl by user.
- ► The bowl is fasten to the mixer`s body with a locking system. By the way kneading standardization is always assured.
- The other specifications of ATS removable bowl mixer are as follow: stainless steel bowl, knife and spiral hook, automatic and manual control, silence in mechanical system and power transfer, mechanical system and security system according to CE standards. Additional bowl and lifting tilting systems are available.


Option


▶ Temperature probe











REMOVABLE BOWL MIXER
ESPM 160 M
ESPM 250 M

Dough	Flour	Bowl	Machine	Motor	Bowl & Spiral Speed		Weight
Capacity	Capacity	Dim.	Dimension	Power	Rpm		kg
kg	kg	ØxH(mm)	A x B x H (mm)	kw	Bowl	Spiral	
160	100	900 X 470	1280 X 2200 X 1490	17,5	18	106 - 212	1280
250	150	1000 X 1400	1280 X 1300 X 1495	21	18	106 - 212	1440